### **AVAILABLE COLOURS**







**BLACK** 



MATTE AXIS GRAY METALLIC



IMPERIAL RED METALLIC

Dealer Stamp

# **Gyan Honda**

Railway Road, Ferozepur 152001 01632-242121











TECHNICAL SPECIFICATIONS+

2020 mm

751 mm

1116 mm

1278 mm

163 mm

115 Kg 690 mm

790 mm

109.51 cc

PGM-FI

10.1:1

4 Gear

Self/Kick

6.47 kW @7500 rpm

47 x 63.121 mm

Drum - 130 mm

Diamond Type

Hydraulic Type

Halogen Bulb, DC

Telescopic

12V. 5Ah

9.30 N-m @ 5500 rpm

Multiplate Wet Clutch

80/100-18 M/C 47P. Tubeless

80/100-18 M/C 54P, Tubeless

Disc -240 mm, Drum - 130 mm

Air Cooled, 4 Stroke, SI, BS-VI Engine

9 L

BODY DIMENSIONS

Length

Height

Wheel Base **Ground Clearance** 

Kerb Weight

Seat Length

Seat Height

Displacement Max Engine Output

Max Torque

Fuel System

Bore x Stroke

Compression Ratio Starting Method

**TRANSMISSION** Clutch Type

**TYRES & BRAKES** Tyre Size & Type (Front)

Tyre Size & Type (Rear)

Brake Type & Size (Front)

Brake Type & Size (Rear)

FRAME & SUSPENSION

No. of Gears

Frame Type

**ELECTRICALS** 

Batterv Headlamp

Front Suspension

Rear Suspension

**ENGINE** 

Type

Fuel Tank Capacity

Width







• +The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • New Livo meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • All features may not be part of all variants • \*Only rear tyre is HET • \*\*Conditions apply.



Honda Motorcycle and Scooter India Pvt. Ltd.,

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana), India Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com



सच कर देंगे सपने








# URBAN STYLE

Always arrive in style with the unique combination of a muscular shroud, chiseled visor, sharp headlight, and detailed air duct design.



## STRONG REAR APPEARANCE

Leave a strong impression with an excitingly designed tail-light and grab rail.



HONDA

MUSCULAR TANK DESIGN
WITH STRIKING GRAPHICS
A definite head-turner, the
muscular fuel tank design
with edgy graphics makes it
very appealing.



## DIGITAL ANALOGUE METER

Get all the ride information in style with precision.



# COMFORT AND CONVENIENCE

DC HEADLAMP
The DC Headlamp gives consistent illumination while riding irrespective of the speed and riding conditions.

#### **ENGINE START/STOP SWITCH**

Start and stop your bike with just the flick of a switch anytime anywhere. Enjoy enhanced convenience.

#### SEAL CHAIN

The Seal Chain is low on maintenance and high on durability for a hassle-free riding experience.

## 5-STEP ADJUSTABLE REAR SUSPENSION

Make your ride comfortable with 5-Step Adjustable Rear Suspension on all road conditions.

### SERVICE DUE INDICATOR

Want to keep your Livo in the best condition all the time? No problem. Service due indicator on the meter console will give a reminder, even if you forget.

#### **CBS WITH EQUALIZER**

The Equalizer Technology in Combi Brake System distributes optimal braking force between front and rear wheels ensuring shorter braking distance with rock-solid balance.

#### LONG AND COMFORTABLE SEAT

7km 18:88

Makes every ride comfortable for the rider and pillion, despite the conditions of



#### INTEGRATED HEADLAMP **BEAM & PASSING SWITCH**

Integrated Smart Single Switch for passing signal and low/high beam.