

TECHNICAL SPECIFICATIONS

	PARAMETERS	MEASUREMENTS
BODY DIMENSIONS	Length	2046 mm
	Width	737 mm
	Height	1116 mm
	Wheel Base	1285 mm
	Ground Clearance	162 mm
	Kerb Weight	Disc 115 kg, Drum 114 kg
	Seat Length	651 mm
	Seat Height	791 mm
ENGINE	Fuel Tank Capacity	10.5 L
	Type	4 Stroke, SI, BS-VI Engine
	Displacement	124cc
	Max Engine Output	7.9 kW @ 7500 rpm
	Max Torque	11 N-m @ 6000 rpm
	Fuel System	PGM- FI
	Bore X Stroke	50.0 X 63.1 mm
	Compression Ratio	10±0.2
TRANSMISSION	Starting Method	Self/Kick
	Clutch Type	Multiplate Wet Clutch
TYRES & BRAKES	No. of Gears	5
	Tyre Size & Type (Front)	80/100-18 M/C 47P, Tubeless
	Tyre Size & Type (Rear)	80/100-18 M/C 54P, Tubeless
	Brake Type & Size (Front)	Disc-240 mm, Drum-130 mm
FRAME & SUSPENSION	Brake Type & Size (Rear)	Drum-130 mm
	Frame Type	Diamond Type
	Front Suspension	Telescopic
ELECTRICALS	Rear Suspension	Hydraulic Type
	Battery	12V, 5.0Ah
	Head Lamp	Halogen Bulb, DC



BLACK



GENY GREY METALLIC



ATHLETIC BLUE METALLIC



REBEL RED METALLIC

HONDA
The Power of Dreams

एव का देवो एवमे

AMAZING



SHINE



Other Honda Shield Products**
Annual Maintenance Contract
Road Side Assistance
Engine Health Assurance

Follow us on



Gyan Honda

Railway Road, Ferozepur 152001

01632-242121

+The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Shine meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment. • ^Mileage has increased by 14% for Shine as compared to CB Shine BS IV. • *Ground Clearance has increased by 5 mm and Wheelbase has been increased by 19 mm for Shine as compared to CB Shine BS IV. **Conditions apply. ^^Only rear tyre is HET.

Honda Motorcycle and Scooter India Pvt. Ltd., Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana) **Visit us at:** www.honda2wheelersindia.com **Customer Care:** customercare@honda2wheelersindia.com





THE AMAZING

NEW

Shine

**AMAZING COMFORT.
AMAZING TECHNOLOGY.
AMAZING FEELING.**

Honda presents the all new Shine with amazing **eSP Technology** and eco-friendly **BS-VI Engine** that keeps emission in check. Its **ACG Starter** removes gear meshing noise and helps start the engine without a jolt. And its **5-Speed Transmission** ensures that your ride is always amazingly smooth.

A QUIET REVOLUTION

NEXT GEN TECHNOLOGY



125cc HET BS-VI Engine

Ahead of its time, the latest innovation in engine contributes to a cleaner environment. The intelligent HET engine delivers an unmatched performance.



eSP TECHNOLOGY

With Shine, expect nothing but the best. Honda's Enhanced Smart Power (eSP) technology maximizes performance and fuel-efficiency by reducing friction to give you the best riding experience.



SILENT START WITH ACG

Honda's unique ACG starter removes gear meshing noise and helps start the engine without a jolt.




PGM-FI

PGM-FI system is a sensor based advance system which constantly ensures optimum fuel delivery to the engine resulting in efficient combustion that aids in consistent power output, higher mileage & lesser emissions.



FRICTION REDUCTION

The offset cylinder, roller rocker arm fitted with needle bearing reduces the frictional losses in the engine. The piston cooling jet improves the cooling efficiency and maintains optimum engine temperature.



14%^ MORE MILEAGE


A completely new engine powered by Honda's globally acclaimed eSP technology delivers 14%^ more mileage.



HET TUBELESS TYRE^^

Honda's low-rolling resistance tubeless tyre is specially designed to increase fuel-efficiency.

NEXT LEVEL COMFORT AND CONVENIENCE



5-SPEED TRANSMISSION

Enjoy a smooth and comfortable riding experience with 5-Speed Transmission.



DC HEADLAMP

The DC Headlamp gives consistent illumination while riding, irrespective of the speed and riding conditions.



ENGINE START/STOP SWITCH

Start and stop your bike with just the flick of a switch anytime, anywhere. Enjoy enhanced convenience.

INTEGRATED HEADLAMP BEAM & PASSING SWITCH

Smart Single Switch for passing signal and low/high beams.



MORE SEATING SPACE & EASY GROUND TOUCH

27 mm longer seat* offers ample space for rider and pillion to cover long distance comfortably. Ground touch is improved by smooth integration of seat and tank.




MORE GROUND CLEARANCE & WHEELBASE

5 mm more ground clearance* gives immense confidence to pass through rough roads and potholes with ease. Stability on high speed is greatly enhanced with 19 mm increased wheelbase*.




5-STEP ADJUSTABLE SUSPENSION

Makes your ride comfortable with 5-Step Adjustable Rear Suspension on all road conditions.



CBS WITH EQUALIZER

The Combi-Brake System with Equalizer reduces braking distance, so you can ride with confidence.



SEAL CHAIN

Seal Chain is low on maintenance and high on durability for a hassle-free riding experience.



3+3 YEARS WARRANTY PACKAGE

Get complete peace of mind with 6 years warranty package, comprising of 3 years standard and 3 years optional service warranty.

GRAND STYLE



BOLD FRONT VISOR

Front Visor with newly designed chrome garnish gives a completely new look to the front cowl and brings out its bold character.



PREMIUM CHROME STROKE ON SIDE COVER

The premium chrome stroke on side cover give the new Shine an elegant stance to make it stand out in a crowd.



ALL NEW AERO TYPE FUEL CAP

The Aero type fuel cap gives a clean & premium finish to the fuel tank design and adds to the practicality of the new Shine.



ALL NEW METER DESIGN

The new meter design adds required freshness without disturbing the simplicity and sophistication of the new Shine.